


GRAPH 1

LSP in the CSF of patients with
and without brain tumors



MPBT : Malignant primary brain tumors

BPBT: Benign primary brain tumors

MBT: Metastatic brain tumors



ST: Systemic tumors without brain metastasis

NNC: Nonmal neurologic controls

NC: Neurologic controls



GRAPH 2

LONGITUDINAL STUDIES OF PATIENTS UNDER TREATMENT



(+): positive CSF cytology
(-): negative CSF cytology

(+): positive CSF cytology
(-): negative CSF cytology




(+): positive CSF cytology
(-): negative CSF cytology

(+): positive CSF cytology
(-): negative CSF cytology

BEST AVAILABLE COPY

GRAPH 3

LSP in the CSF of patients with malignant
and benign primary brain tumors



MPBT: Malignant primary brain tumors


BPBT: Benign primary brain tumors

NK-GP ©

BEST AVAILABLE COPY

GRAPH 4

LSP in the CSF of patients with systemic tumors with and without brain metastasis




MBT: Metastatic brain tumors
ST: Systemic tumors without brain metastasis

NK-GP ©

GRAPH 5


LSP in the CSF of patients with HIV and
toxoplasmosis and patients with lymphoma



BEST AVAILABLE COPY

GRAPH 6

LSP



- Control Samples: Dizziness, Headaches, Strokes, Comatose, Other
- Patient Samples: Lyme Disease, Alzheimer's, Meningitis, Other (not Cancer)
- Patient Samples: Malignancies in Different Stages

BEST AVAILABLE COPY